



Technology Selection and Prioritization Process for the ExEP 2018 Technology Gap List

Brendan Crill

Deputy Technology Development Manager

Exoplanet Exploration Program

Jet Propulsion Laboratory/Caltech

ExoPAG 16

Mountain View, CA

18 June 2017



Program Technology Updates Since Last ExoPAG




Exoplanet Exploration Program

1. TDEM update

<https://exoplanets.nasa.gov/exep/technology/TDEM-awards/>

- TDEM-15 Breckinridge: SOW developed and Milestone Whitepaper approved by ExoTAC
- TDEM-10 Bierden: MEMs DMs pre-environmental characterization completed and shipped for environmental testing at GSFC
- TDEM-14 Serabyn: Vector Coronagraph demonstration in HCIT starting in July (10^{-9} contrast goal at $3 \lambda/D$, 10% band with charge-4 and charge-6 masks)



2. Decadal Survey Testbed

- Program Office is upgrading one of the High-Contrast Imaging Testbeds to enable future users to perform coronagraph demonstrations at the 10^{-10} contrast level
 - Peer Review of testbed design and goals for Phase 1 conducted
 - 1st light for unobscured demo scheduled for Feb 2018, completion by end FY18
 - Phase II: Segmented on-axis demonstration scheduled to start in October 2018



Program Technology Updates Since Last ExoPAG




Exoplanet Exploration Program

3. TRL assessments for large mission STDs

- Worked with other APD program offices and Aerospace to assess Technology Readiness Level (TRL) of technology needs of LUVOIR, HabEx, OST, and Lynx.



4. Starshade

- Paul Hertz directed the WFIRST mission to continue studying starshade compatibility
- Two workshops at JPL: Starshade Scattered Sunlight Control, Starshade Mechanical Architecture



5. Segmented Coronagraph Design & Analysis study

- APLC design is most successful so far with apertures under consideration;
- APLC robustness against design tolerances being evaluated; Vortex being optimized for finite star size and on-axis secondary; PIAACMC considered for longer-wavelength use.
- Next design round to include realistic errors (e.g. segment phase errors and SFE)





Program Technology Updates Since Last ExoPAG







Exoplanet Exploration Program

6. ExEP Technology Colloquium Series continues

https://exoplanets.nasa.gov/exep/technology/tech_colloquium/

- Mirror segment edge-sensing technology, colloidal microthrusters, MEMS DMs



7. Annual Technology Selection and Prioritization Process starts now!

Exoplanet Missions

First high-contrast coronagraph in space; starshade accommodation under study



NASA Jet Propulsion Laboratory
California Institute of Technology

EXOPLANET EXPLORATION PROGRAM Technology Plan Appendix 2017

Brendan Crill
Deputy Technology Development Manager

Nick Siegler
Program Chief Technologist

NASA Exoplanet Exploration Program
Jet Propulsion Laboratory, California Institute of Technology

JPL Document No: 1513240

2020 Decadal Survey Mission Concept Studies

- ❖ Origins Space Telescope
- ❖ HabEx Imaging Mission
- ❖ LUVOIR Surveyor
- ❖ Lynx

Probe Studies with Exoplanet focus

- ❖ WFIRST/Starshade Rendezvous (S. Seager)
- ❖ Radial Velocity Instrument (P. Plavchan)



Technology Gaps Selection Criteria



Exoplanet Exploration Program

- 1. Technology gaps considered for tracking and development by the ExEP must support APD exoplanet science missions as:**
 - defined by the needs of the 2010 Decadal Survey as described in the Astrophysics Implementation Plan;
 - directed through the Science Mission Directorate;
 - selected through open competition; or
 - described in the APD 30-year roadmap.

- 2. The subset of these gaps that enables or enhances exoplanet science are selected and prioritized onto the ExEP Technology Gap List**
 - Technologies that address these gaps are the ones prioritized for development and considered for resource allocation
 - The list is published in the annual Technology Plan Appendix
 - Some of these technologies may be funded outside of the ExEP




Technology Selection and Prioritization Process

Exoplanet Exploration Program


ID	Activity	
1	Technology needs input window opens	06/18/17
	email ExoPAGannounce: Technology Gap Lists, input forms, process explanation	06/09/17
	presentation at June ExoPAG	06/18/17
2	Technology window closes	08/28/17
3	Technology Gap Selection and Prioritization Criteria Review by APD Program Offices	08/25/17
4	Selection and Prioritization Criteria Review by ExoTAC	09/05/17
5	Technology Gap Assessment Review by APD Program Offices	09/18/17
6	Technology Gap Assessment Review by ExoTAC	10/02/17
7	Technology Gap Lists inform TDEM Amendment	mid-Nov
8	Technology Amendment released through NSPIRES	mid-Dec
9	ExEP Technology Plan Appendix updated and released	12/01/17
	Presentation at January ExoPAG	01/06/18
10	TDEM Proposal Deadline	03/15/18
11	TDEM Awards Selected	Aug 2018

The Enabling Coronagraph/Telescope Technology Needs


Contrast




CG-2: Coronagraph Demonstrations and Modeling



CG-3: Deformable mirrors



CG-4: Image post-processing




LUVOIR and HabEx reference designs mature

Angular Resolution



CG-1: Large monolith mirrors



CG-1: Segmented mirrors

Contrast Stability



WFIRST Milestone 9 achieved





CG-6: Segment phasing and rigid body sensing and control



CG-7: Telescope vibration sensing and control

Detection Sensitivity




Ultra-low noise visible (CG-8) and infrared (CG-9) detectors

The Enhancing Coronagraph/Telescope Technology Needs


Contrast



CG-11 Mid Infrared Spectral Coronagraph



CG-10 UV/Vis/NIR mirror coatings




Mission Efficiency



M-1: Ultra-high precision Radial Velocity

Detection Sensitivity



Ultra-low noise UV detectors (CG-12)

Starshade Technology Needs


Starlight Suppression



S-1: Controlling Scattered Sunlight

Starshade Rendezvous Probe Study selected

Formation Sensing and Control



S-3: Lateral Formation Sensing

Princeton optical demo reaches $3e-8$ contrast; work continues

Deployment Accuracy and Shape Stability

S-2: Starlight Suppression and Model Validation


5 m optical shield prototype built and deployed

SBIR-1 awarded to Tenedg for deployment motor

NGAS studying alternative deployment approach

S-5: Petal Positioning Accuracy and Opaque Structure

5m Starshade Optical Shield Prototype






ExEP Technology Plan Appendix



Exoplanet Exploration Program



Next update: January 2018

Gap ID	Gap Title
S-2	Starlight Suppression and Model Validation
S-1	Control Edge-Scattered Sunlight
S-3	Lateral Formation Flying Sensing
S-4	Petal Shape
S-5	SS Deployment and Shape Stability
CG-1	Large Aperture Mirrors
CG-2	Coronagraph Architecture
CG-6	Mirror Figure / Segment Phasing, Sensing & Control
CG-7	Telescope Vibration Control
CG-9	NIR Ultra-Low Noise Detector
CG-3	Wavefront Sensing and Control
CG-5	Deformable Mirrors
CG-8	Visible Ultra-Low Noise Detector
M-1	Extreme Precision Radial Velocity
CG-4	Post-Data Processing
CG-10	UV/NIR/Vis mirror coatings
CG-11	Mid-IR Spectral Coronagraph
CG-12	UV Ultra-low noise detector

Enabling Technology

Enhancing Technology

<https://exoplanets.nasa.gov/exep/technology>



Did we miss anything?



Additional Slides



2017 ExEP Technology Gap List



Exoplanet Exploration Program

Prioritized List

Gap ID	Gap Title	Impact	Urgency	Trend	Total
	Weight:	10	10	5	
S-2	Starlight Suppression and Model Validation	4	4	2	90
S-1	Control Edge-Scattered Sunlight	4	4	2	90
S-3	Lateral Formation Flying Sensing	4	4	2	90
S-4	Petal Shape	4	4	2	90
S-5	SS Deployment and Shape Stability	4	4	2	90
CG-1	Large Aperture Mirrors	4	3	3	85
CG-2	Coronagraph Architecture	4	3	3	85
CG-6	Mirror Figure / Segment Phasing, Sensing & Control	4	3	3	85
CG-7	Telescope Vibration Control	4	3	3	85
CG-9	NIR Ultra-Low Noise Detector	4	3	3	85
CG-3	Wavefront Sensing and Control	4	3	2	80
CG-5	Deformable Mirrors	4	3	2	80
CG-8	Visible Ultra-Low Noise Detector	4	3	2	80
M-1	Extreme Precision Radial Velocity	3	3	3	75
CG-4	Post-Data Processing	4	2	2	70
CG-10	UV/NIR/Vis mirror coatings	3	3	2	70
CG-11	Mid-IR Spectral Coronagraph	2	3	3	65
CG-12	UV Ultra-low noise detector	2	3	2	60

Enabling Technology
Enhancing Technology
Watch List


Watch List

Sub-Kelvin Coolers
Advanced Cryocooler
Mid-IR Ultra-low Noise Detector
Astrometry



Technology Selection and Prioritization Process

Exoplanet Exploration Program





2017 Prioritization Criteria



Exoplanet Exploration Program

Impact (weight: 10)	4: Critical technology - required to meet mission concept objectives; without this technology, applicable missions would not launch
	3: Highly desirable - not mission-critical, but provides major benefits in enhanced science capability, reduced critical resources need, and/or reduced mission risks; without it, missions may launch, but science or implementation would be compromised
	2: Desirable - not required for mission success, but offers significant science or implementation benefits; if technology is available, would almost certainly be implemented in missions
	1: Minor science impact or implementation improvements; if technology is available would be considered for implementation in missions

Urgency (weight: 10)	4: reduced risk needed for missions currently in pre-formulation or formulation.
	3: In time for the Decadal Survey (2019); not necessarily at some TRL but reduced risk by 2019.
	2: Earliest projected launch date < 15 yr (< 2030)
	1: Earliest projected launch date > 15 yr (> 2030)

Trend (weight: 5)	4: (a) no ongoing current efforts, or (b) little or no funding allocated
	3: (a) others are working towards it but little results or their performance goals are very far from the need, (b) funding unclear, or (c) time frame not clear
	2: (a) others are working towards it with encouraging results or their performance goals will fall short from the need, (b) funding may be unclear, or (c) time frame not clear
	1: (a) others are actively working towards it with encouraging results or their performance goals are close to need, (b) it's sufficiently funded, and (c) time frame clear and on time

Footnote: to be deemed “ready,” the technology is available to NASA at TRL 6 by the earliest possible Preliminary Design Review (PDR) of a mission; or at TRL 5 by the start of Phase A